

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II to Regulation No. 1907/2006 European Parliament and of the Council on the registration, evaluation, authorization and applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

SECTION 1: Identification of the substance/mixture and of the company/undertaking


- 1.1. Product identifier**
 Substance / mixture ROCLEAN®MP100 mixture
 UFI TU23-SH99-G00R-MF8D
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
 Liquid for thorough cleaning of heavily soiled alkali-resistant surfaces.
Main intended use
 PC-CLN-10.2 Cleaners for kitchen machinery and equipment
Mixture uses advised against
 The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
- | | |
|-----------------------------|----------------------------------------|
| Name or trade name | P.W. ROKO Robert Komorniczak |
| Address | ul. Wąska 23, Komorniki, 62-052 Poland |
| Identification number (CRN) | 632379987 |
| VAT Reg No | PL7810004269 |
| Phone | +48618107819 |
| E-mail | biuro@rokochemia.pl |
| Web address | rokochemia.pl |
- Competent person responsible for the safety data sheet**
- | | |
|--------|------------------------------|
| Name | P.W. ROKO Robert Komorniczak |
| E-mail | biuro@rokochemia.pl |
- 1.4. Emergency telephone number**
 European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

 Skin Corr. 1B, H314

 Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment
 Causes severe skin burns and eye damage.
- 2.2. Label elements**
Hazard pictogram
- 
- Signal word**
 Danger
- Hazardous substances**
 Natriummetasilicat Pentahydrat
- Hazard statements**
 H314 Causes severe skin burns and eye damage.

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II
to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and
applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

Precautionary statements

<p>P102 P260 P280 P301+P330+P331 P303+P361+P353 P305+P351+P338</p> <p>P310 P501</p>	<p>Keep out of reach of children.</p> <p>Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>Immediately call a doctor.</p> <p>Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.</p>
-------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Supplemental information

<p>EUH208</p> <p>EUH071</p>	<p>Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.</p> <p>Corrosive to the respiratory tract.</p>
-----------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 014-010-00-8 CAS: 10213-79-3 EC: 229-912-9 Registration number: 01-2119449811-37-XXXX	Natriummetasilicat Pentahydrat	<10	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335	
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol	<10	Eye Irrit. 2, H319	2, 3
CAS: 160901-19-9 EC: 931-954-4	Alcohols, C12-13, branched and linear, ethoxylated	5-15	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 1 % < C ≤ 10 %	
CAS: 25307-17-9 EC: 246-807-3 Registration number: 01-2119510876-35-XXXX	Ethanol, 2,2'-(9-octadecen-1-ylimino)bis-	<3	Acute Tox. 4, H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)	
Index: 603-085-00-8 CAS: 52-51-7 EC: 200-143-0	bronopol (INN)	0,0125-0,0155	Acute Tox. 4, H302+H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10)	

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II
to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and
applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date 07th July 2023

Revision date Version 7.0 EU

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	0,0004- 0,00059	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A, H317: C ≥ 0.0015 % Skin Irrit. 2, H315: 0.06 % ≤ C < 0.6 % Skin Corr. 1C, H314: C ≥ 0.6 % Eye Dam. 1, H318: C ≥ 0.6 %	1

Notes

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 A substance for which exposure limits are set.
- 3 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING! Even the induced vomiting can cause complications as in case of detergents and other foaming substances.

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II to Regulation No. 1907/2006 European Parliament and of the Council on the registration, evaluation, authorization and applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

Content	Packaging type	Material of package
1 l	bottle	HDPE
5 l	jerry can	HDPE
10 l	jerry can	HDPE
20 l	jerry can	HDPE

7.3. **Specific end use(s)**
not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2006/15/EC

Substance name (component)	Type	Value
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 8 hours	67,5 mg/m ³
	OEL 8 hours	10 ppm
	OEL 15 minutes	101,2 mg/m ³
	OEL 15 minutes	15 ppm

DNEL

2-(2-butoxyethoxy)ethanol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers (0)	Dermal	20 mg/kg	Chronic effects systemic		
Workers (0)	Inhalation	67.5 mg/m ³	Chronic effects systemic		
Consumers (0)	Inhalation	50.6 mg/m ³	Acute effects local		
Consumers (0)	Dermal	10 mg/kg	Chronic effects systemic		
Consumers (0)	Inhalation	34 mg/m ³	Chronic effects systemic		
Consumers (0)	Oral	1.25 mg/kg	Chronic effects systemic		

Ethanol, 2,2'-(9-octadecen-1-ylimino)bis-

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers (0)	Dermal	0.25 mg/kg bw/day	Chronic effects systemic		
Workers (0)	Inhalation	1.76 mg/m ³	Chronic effects systemic		
Consumers (0)	Dermal	0.179 mg/kg bw/day	Chronic effects systemic		
Consumers (0)	Inhalation	0.621 mg/m ³	Chronic effects systemic		
Consumers (0)	Oral	0.179 mg/kg bw/day	Chronic effects systemic		

Natriummetasilicat Pentahydrat

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers (0)	Inhalation	6.22 mg/m ³	Chronic effects systemic		
Consumers (0)	Inhalation	1.55 mg/m ³	Chronic effects systemic		
Consumers (0)	Oral	0.74 mg/kg/24h	Chronic effects systemic		
Workers (0)	Dermal	1.49 mg/kg/24h	Chronic effects systemic		
Consumers (0)	Dermal	0.74 mg/kg/24h	Chronic effects systemic		

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure	Value	Value determination	Source
Drinking water	1 mg/l		
Marine water	0.1 mg/l		
Freshwater sediment	4 mg/kg		
Sea sediments	0.4 mg/kg		
Soil (agricultural)	0.4 mg/kg		
Microorganisms in sewage treatment	200 mg/l		
Oral	56 mg/kg		

Ethanol, 2,2'-(9-octadecen-1-ylimino)bis-

Route of exposure	Value	Value determination	Source
Freshwater sediment	0.171 mg/kg of dry substance of sediment		
Sea sediments	0.0171 mg/kg of dry substance of sediment		
Drinking water	0.000214 µg/l		
Marine water	0.000021 µg/l		
Soil (agricultural)	5.0 mg/kg of dry substance of soil		
Microorganisms in sewage treatment	1.5 mg/l		

Natriummetasilicat Pentahydrat

Route of exposure	Value	Value determination	Source
Drinking water	7.5 mg/l		
Marine water	1 mg/l		
Microorganisms in sewage treatment	1000 mg/l		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

liquid

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II
to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and
applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

Colour	orange
color intensity	transparent
Odour	citrus
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	>100 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	12,5-13,5 (undiluted at 20 °C)
Kinematic viscosity	data not available
Solubility in water	easily dissolvable in cold water
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1,02-1,05 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information
not available

SECTION 10: Stability and reactivity

- 10.1. Reactivity**
not available
- 10.2. Chemical stability**
The product is stable under normal conditions.
- 10.3. Possibility of hazardous reactions**
Unknown.
- 10.4. Conditions to avoid**
The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.
- 10.5. Incompatible materials**
Protect against strong acids, bases and oxidizing agents.
- 10.6. Hazardous decomposition products**
Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**
Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

2-(2-butoxyethoxy)ethanol

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	2410 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD ₅₀	2764 mg/kg		Rabbit		

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II
to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and
applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

Alcohols, C12-13, branched and linear, ethoxylated

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	>300-2000 mg/kg		Rat (<i>Rattus norvegicus</i>)		
Dermal	LD ₅₀	>2000 mg/kg		Rabbit		
Oral	NOAEL	50 mg/kg	2 years	Rat (<i>Rattus norvegicus</i>)		

Natriummetasilicat Pentahydrat

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	1152-1349 mg/kg bw		Rat (<i>Rattus norvegicus</i>)		
Inhalation	LC ₅₀	>2.06 mg/m ³		Rat (<i>Rattus norvegicus</i>)		
Dermal	LD ₅₀	>5000 mg/kg bw		Rat (<i>Rattus norvegicus</i>)		

ROCLEAN®MP100

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	3367 mg/kg				Calculation of value
Dermal	ATE	3862000 mg/kg				Calculation of value
Inhalation (vapor)	ATE	84750 mg/l				Calculation of value

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes severe skin burns and eye damage.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Natriummetasilicat Pentahydrat

Effect	Parameter	Value	Result	Species	Sex
	NOAEL	>159 mg/kg bw/day		Rat (<i>Rattus norvegicus</i>)	
	NOAEL	>200 mg/kg bw/day		Mouse	

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Natriummetasilicat Pentahydrat

Route of exposure	Parameter	Value	Result	Species	Sex
Oral	NOAEL	227 mg/kg bw/day		Rat (<i>Rattus norvegicus</i>)	
Oral	NOAEL	260 mg/kg bw/day		Mouse	

Aspiration hazard

Based on available data the classification criteria are not met.

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II
to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and
applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

2-(2-butoxyethoxy)ethanol

Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		1300 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL ₅₀		>100 mg/l		Aquatic invertebrates (Daphnia magna)	
EC ₅₀	OECD 201	>100 mg/ml		Algae (Scenedesmus subspicatus)	

Alcohols, C12-13, branched and linear, ethoxylated

Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀	OECD 203	>1-10 mg/l	96 hours	Fish (Poecilia reticulata)	
EC ₁₀		>0.1-1 mg/l		Fish (Pimephales promelas)	
EC ₅₀	OECD 202	>1-10 mg/l	48 hours	Daphnia (Daphnia magna)	
EC ₁₀	OECD 211	>0.1-1 mg/l		Daphnia (Daphnia magna)	
EC ₅₀	OECD 201	>1-10 mg/l	72 hours	Algae (Selenastrum capricornutum)	
NOEC	OECD 201	>1-10 mg/l	72 hours	Algae (Desmodesmus subspicatus)	
EC ₅₀		140 mg/l		Bacteria	

Ethanol, 2,2'-(9-octadecen-1-ylimino)bis-

Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		<1 mg/l	96 hours	Fish (Carassius auratus)	
EC ₅₀		<1 mg/l	48 hours	Daphnia (Daphnia magna)	

Natriummetasilicat Pentahydrat

Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		210 mg/l	96 hours	Fish (Branchydanio rerio)	
EC ₅₀		1700 mg/l	48 hours	Invertebrates (Daphnia magna)	
EC ₅₀		207 mg/l	72 hours	Algae (Scenedesmus subspicatus)	

12.2. Persistence and degradability

Biodegradability

2-(2-butoxyethoxy)ethanol

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301C	80-90 %			Easily biodegradable

Alcohols, C12-13, branched and linear, ethoxylated

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301B	>60 %	28 days		Easily biodegradable

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II
to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and
applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

Alcohols, C12-13, branched and linear, ethoxylated

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 311	>60 %	69 days		Biodegradable

Ethanol, 2,2'-(9-octadecen-1-ylimino)bis-

Parameter	Method	Value	Exposure time	Environment	Result
		>60 %	28 days		Biodegradable

The mixture is biodegradable.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Alcohols, C12-13, branched and linear, ethoxylated

Parameter	Value	Environment	Temperature
Koc	>5000		

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II
to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and
applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	<p>1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.</p> <p>2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.</p> <p>3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:</p> <p>“Do not use in paint spraying equipment”.</p>

Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

5-<15 % non-ionic surfactants, <5 % phosphonates, <5 % anionic surfactants, perfumes, colorant, Limonene

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H310+H330	Fatal in contact with skin or if inhaled.
H302+H312	Harmful if swallowed or in contact with skin.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II to Regulation No. 1907/2006
European Parliament and of the Council on the registration, evaluation, authorization and applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

A list of additional standard phrases used in the safety data sheet

EUH208	Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH071	Corrosive to the respiratory tract.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₁₀	Concentration of a substance when it is affected 10% of the population
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL ₅₀	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Met. Corr.	Corrosive to metals

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II to Regulation No. 1907/2006 European Parliament and of the Council on the registration, evaluation, authorization and applicable restrictions on chemicals (REACH)

ROCLEAN®MP100

Creation date	07th July 2023	Version	7.0 EU
Revision date			

Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 7.0 replaces the SDS version from 30 January 2023. Changes were made in sections 2, 11, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.